



SHERWIN-WILLIAMS®

VERIFIED BY NSF

LEEDv4.1

Material Ingredient Reporting

Manufacturer's Inventory for SuperPaint® Interior Coating:

This shall serve as the Manufacturer's Declaration of the Chemical Inventory for the LEED Material Ingredient Reporting credit for the SuperPaint® Interior product, manufactured by The Sherwin-Williams Company.

For more information about Sherwin-Williams, please visit: www.sherwin-williams.com. Or, for more information about the product, please consult its Product Data Sheet available at www.paintdocs.com.

Description of the SuperPaint® Interior product line:

The SuperPaint® Interior product line consists of the following product which has the corresponding US GHS Classifications for its specific formulation.

Product Name	SW REX Series	US GHS Product Classification
SuperPaint® Interior Flat	A86W01150, A86W01151	CARCINOGENICITY - Category 1A
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
		SKIN CORROSION/IRRITATION - Category 2
	A86W00153	CARCINOGENICITY - Category 1A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
	A86T01154	No known significant effects or critical hazards.
SuperPaint® Interior Velvet	A94W00050	CARCINOGENICITY - Category 1A
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		TOXIC TO REPRODUCTION - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
		SKIN CORROSION/IRRITATION - Category 2
	A94W00151	CARCINOGENICITY - Category 2
		CARCINOGENICITY - Category 1A
	A94W00053	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
		SKIN CORROSION/IRRITATION - Category 2
	A94T00054	No known significant effects or critical hazards.
SuperPaint® Interior Satin	A87W01150	CARCINOGENICITY - Category 1A
		TOXIC TO REPRODUCTION - Category 2
	A87W01251	CARCINOGENICITY – Category 2
	A87W01153	CARCINOGENICITY - Category 1A
	A87T01154	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SKIN CORROSION/IRRITATION - Category 2

CHEMMI-139

Version 1.0 – Created 11/22/2021

Contact: sustainability@sherwin.com

Expires 11/22/2024 or upon issuance of a newer form



SHERWIN-WILLIAMS®

SuperPaint® Interior Semi Gloss	A88W01150	CARCINOGENICITY – Category 2
		TOXIC TO REPRODUCTION - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
	A88W01251	CARCINOGENICITY – Category 2
		TOXIC TO REPRODUCTION - Category 2
	A88W01153	CARCINOGENICITY – Category 2
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
		CARCINOGENICITY - Category 1A
	A88T01154	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
		SKIN CORROSION/IRRITATION - Category 2

Description of the Manufacturer's Inventory Assessment:

In this assessment, we have disclosed the chemical content of all ingredients present at >1000 ppm (0.1%) in this product line base formulation, the respective GHS hazards associated with these chemicals, and their function/role. This inventory does not include colorants. In order to protect our confidential business information, specific quantities and CAS numbers are not reported for all chemicals. Additionally, chemicals with the same role have, in some cases, been aggregated into one line item.

When reviewing this document, it is important to consider that the potential hazards of the raw materials may not be relevant in the final, post-reacted product given that materials will often transform, be encapsulated, etc. As such, the information in this document shall not be utilized to make claims regarding product safety and/or to predict risk to end-users.

Information contained in this declaration has been verified by NSF as complying with LEED v4.1 Material Ingredient Reporting – Manufacturer Inventory criteria. Documents containing formula information were provided to NSF that represented each product line so that NSF could ensure accuracy throughout their review. These documents were exclusively shared with NSF to ensure business confidentiality. This information will be updated as necessary as reformulations or changes to GHS classifications occur. Additionally, this document will be internally audited by Sherwin-Williams annually to ensure correctness.

Any questions on this declaration should be sent to sustainability@sherwin.com.

Raw Material Composition for SuperPaint® Interior:

Material/Role	Content Range	GHS Classification(s)
Water CAS#: 7732-18-5	35%-65%	Not classified.
Resins	10%-30%	Not classified.

CHEMMI-139

Version 1.0 – Created 11/22/2021

Contact: sustainability@sherwin.com

Expires 11/22/2024 or upon issuance of a newer form



SHERWIN-WILLIAMS®

Extenders	0%-30%	Not classified.
Titanium Dioxide CAS#: 13463-67-7	0%-25%	CARCINOGENICITY - Category 2
Calcium Carbonate CAS: 1317-65-3	0%-20%	SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Vinyl Chloride Polymer CAS#: 9002-86-2	0%-15%	Not classified.
Amorphous Silica CAS#: 7631-86-9	0%-5%	Not classified.
Mica CAS#: 12001-26-2	0%-5%	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
Surfactants	<5%	ACUTE TOXICITY (oral) - Category 4
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		Not classified.
Additives	<3%	ACUTE TOXICITY (oral) (inhalation) - Category 4
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		Not classified.
Cristobalite, respirable powder CAS#: 14464-46-1	0%-3%	CARCINOGENICITY - Category 1A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED Exposure)-Category 1
Coalescents	<3%	SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION -Category 1
		Not classified.
Aluminum Hydroxide CAS#: 21645-51-2	0%-3%	Not classified.
Kaolin CAS#: 1332-58-7	0%-3%	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
2-(2-Butoxyethoxy)-ethanol CAS#: 112-34-5	0%-3%	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) (Narcotic effects) - Category 3
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Heavy Paraffinic Oil CAS#: 64742-54-7 CAS#: 64742-65-0	0%-3%	ASPIRATION HAZARD - Category 1
Defoamer	<3%	Not classified.
Amorphous Diatomaceous Earth CAS: 61790-53-2	0%-3%	Not classified.
Thickener	0%-3%	COMBUSTIBLE DUSTS
2-Ethyl-2-(hydroxymethyl)-1,3-propanediol CAS#: 77-99-6	0%-1%	TOXIC TO REPRODUCTION - Category 2
Crystalline Silica, respirable powder CAS: 14808-60-7	0%-1%	CARCINOGENICITY - Category 1A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

CHEMMI-139

Version 1.0 – Created 11/22/2021

Contact: sustainability@sherwin.com

Expires 11/22/2024 or upon issuance of a newer form



SHERWIN-WILLIAMS®

Crystalline Silica, non-respirable CAS#: 14808-60-7	0%-1%	CARCINOGENICITY - Category 1A
--	-------	-------------------------------

The information contained in this material ingredient disclosure is accurate to the best of Sherwin-Williams' knowledge at the time of writing based on the information provided to us by our raw material suppliers.

Steve Revnew
Senior Vice President – Product Development
sustainability@sherwin.com

CHEMMI-139

Version 1.0 – Created 11/22/2021

Contact: sustainability@sherwin.com

Expires 11/22/2024 or upon issuance of a newer form